



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7
901 NORTH 5TH STREET
KANSAS CITY, KANSAS 66101

MAR 05 2000

CERTIFIED MAIL

RETURN RECEIPT REQUESTED

Article Number: 7006-2760-0000-8647-5459

Mr. Chris Gilstrap
Assistant Superintendent
Wastewater Treatment Division
City of Iowa City South Wastewater Treatment Plant
4366 Napoleon Street, SE
Iowa City, Iowa 52240

Re: CERCLA Off-Site Rule: Affirmative Determination of Acceptability for
the City of Iowa City South Wastewater Treatment Plant, Iowa City, Iowa

Dear Mr. Gilstrap:

This letter serves to inform you that the U.S. Environmental Protection Agency (EPA) has made an affirmative determination of acceptability for the receipt of off-site waste at City of Iowa City South Wastewater Treatment Plant in Iowa City, Iowa (Iowa City WWTP). Pursuant to Title 40 Code of Federal Regulations (40 CFR) Section 300.440(a)(4), EPA has completed an initial assessment of Iowa City WWTP, and finds the facility acceptable for the receipt of off-site waste. Such off-site wastes are defined as wastes generated as a result of activities authorized or funded by the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA).


On September 22, 1993, EPA amended the National Oil and Hazardous Substance Pollution Contingency Plan (NCP), 40 CFR Part 300, by adding Section 300.440, now known as the Off-Site Rule. The rule implements and codifies the requirements contained in CERCLA Section 121(d)(3), and incorporates many provisions of the November 13, 1987, OSWER Directive (No. 9834.11), known as the Off-Site Policy. The Off-Site Rule establishes the criteria and procedures for determining if facilities are acceptable for the off-site receipt of CERCLA waste, and outlines the actions affected by the standard. The Off-Site Rule requires that prior to a facility's initial receipt of CERCLA waste, EPA shall determine if there are relevant releases or relevant violations at the facility.

EPA corresponded with the Iowa Department of Natural Resources (IDNR) to determine Iowa City WWTP's compliance with applicable environmental standards. The results of the correspondence indicates that Iowa City WWTP is currently in compliance with applicable environmental standards. Therefore, effective upon receipt of this letter, Iowa City WWTP is acceptable to receive CERCLA off-site waste at the facility described above. Should any new information affecting this determination develop, EPA reserves the right to revisit this decision.

By issuing this notice, EPA is in no way authorizing Iowa City WWTP to undertake any waste management practice at this facility for which Iowa City WWTP has not been previously authorized by EPA or IDNR.

If you have any questions concerning this matter, please contact Deborah Bredehoft, Regional Off-Site Contact, Region 7, at (913) 551-7164.

Sincerely,

A handwritten signature in black ink, appearing to read "Donald Toensing", is written over the printed name.

Donald Toensing
Branch Chief
RCRA Enforcement and State Programs Branch

cc: Mr. Cal Lundberg, Chief
Contaminated Sites Section
Iowa Department of Natural Resources